

09/619 144

A#16

WEST Search History

DATE: Wednesday, January 29, 2003

| <u>Set Name</u> side by side | <u>Query</u> | <u>Hit Count</u> | <u>Set Name</u> result set |
|--|---------------------|------------------|-------------------------------|
| <i>DB=USPT,PGPB,JPAB,EPAB,DWPI; PLUR=YES; OP=ADJ</i> | | | |
| L9 | l1 and L5 | 104 | L9 |
| L8 | l1 and l3 and L5 | 25 | L8 |
| L7 | l1 and l2 and L5 | 16 | L7 |
| L6 | l1 with l2 with L5 | 0 | L6 |
| L5 | level near2 sensor | 35552 | L5 |
| L4 | level sensor | 24478 | L4 |
| L3 | removable | 354160 | L3 |
| L2 | insert | 605479 | L2 |
| L1 | cell near2 cultur\$ | 86127 | L1 |

END OF SEARCH HISTORY

WEST**Print Selection**

Help

Clear

Cancel

Print

Print First Page

| Select? | Document ID | Section(s) | Page(s) | # Pages to print | Database |
|-------------------------------------|-------------|------------|---------|------------------|--------------------------|
| <input checked="" type="checkbox"/> | 5914255 | all | all | 29 | USPT,PGPB,JPAB,EPAB,DWPI |
| <input checked="" type="checkbox"/> | 5151362 | all | all | 17 | USPT,PGPB,JPAB,EPAB,DWPI |
| <input checked="" type="checkbox"/> | 4774187 | all | all | 4 | USPT,PGPB,JPAB,EPAB,DWPI |
| <input checked="" type="checkbox"/> | 5792427 | all | all | 25 | USPT,PGPB,JPAB,EPAB,DWPI |
| <input checked="" type="checkbox"/> | 5962288 | all | all | 30 | USPT,PGPB,JPAB,EPAB,DWPI |
| <input checked="" type="checkbox"/> | 5571720 | all | all | 11 | USPT,PGPB,JPAB,EPAB,DWPI |
| <input checked="" type="checkbox"/> | 4937196 | all | all | 24 | USPT,PGPB,JPAB,EPAB,DWPI |
| <input checked="" type="checkbox"/> | 4894342 | all | all | 18 | USPT,PGPB,JPAB,EPAB,DWPI |
| <input checked="" type="checkbox"/> | 5707517 | all | all | 44 | USPT,PGPB,JPAB,EPAB,DWPI |
| <input checked="" type="checkbox"/> | 5162204 | all | all | 16 | USPT,PGPB,JPAB,EPAB,DWPI |
| <input checked="" type="checkbox"/> | DE19801763A | all | all | 14 | USPT,PGPB,JPAB,EPAB,DWPI |

Building

Room

Printer

cm1

11e14

gbldptr

Main Menu

Logout